

# minio

## minio docker-compose

```
# vi docker-compose.yml

version: '3'

services:
  velero-minio:
    image: minio/minio:latest
    restart: always # 
    privileged: true
    ports:
      - 33900:9000 # client 
      - 33901:9001 # console 
    volumes:
      - ./data:/data
    command: server /data --console-address :9001 --address :9000
    environment:
      - MINIO_ROOT_USER=
      - MINIO_ROOT_PASSWORD=
      # minio
      - MINIO_SERVER_URL=http://minio.abc.com
      # minio
      - MINIO_BROWSER_REDIRECT_URL=http://minio-console.abc.com
```

```
docker-compose -f docker-compse.yml up -d
```

```
yum install epel-release
yum install s3fs-fuse
```

```
echo <USER>: <PASSWORD> > /etc/passwd-s3fs
```

```
chmod 640 /etc/passwd-s3fs
```

```
#
```

```
# s3fs -o passwd_file=/etc/passwd-s3fs upload /data/nfs -o use_path_request_style -o  
url=http://172.130.100.91:9000
```

```
#
```

```
upload /data/nfs fuse.s3fs
```

```
_netdev,allow_other,use_path_request_style,url=http://172.130.100.91:9000 0 0
```

```
# #8
```

```
5 2023 12:18:23
```

```
15 2025 14:56:20
```