

nginx

- docker-compose.yaml

```
version: "3"

services:
  mobile-office-web:
    image: docker.io/nginx:latest
    restart: always # [][]
    privileged: true
    ports:
      - 9095:80
    # volumes:
    #   - ./html:/usr/share/nginx/html
    #   - ./default.conf:/etc/nginx/conf.d/default.conf
    environment:
      - TZ=Asia/Shanghai
```

- default.conf

```
# touch default.conf

server {
    listen      80;
    #listen 443 ssl;
    server_name localhost;

    #charset koi8-r;
    #access_log /var/log/nginx/log/host.access.log  main;

    #ssl_certificate      /home/ssl/server.crt;
    #ssl_certificate_key  /home/ssl/server.key;

    root /usr/share/nginx/html;
    index index.html;

    location / {
        proxy_pass http://project-web:3000;
```

```
    proxy_set_header    Host      $http_host;

    # 反向代理VUE应用
    add_header Cache-Control "no-cache no-store must-revalidate proxy-revalidate, max-age=0";
    add_header Last-Modified $date_gmt;
    etag off;
}

location /api {
    proxy_pass http://project-manager:8080;
    proxy_set_header    Host      $http_host;
}

}
```

#2

21 2023 05:17:11

8 2023 05:30:49