

traefik-gateway-dashboard

dashboardtraefik-gateway

bug2023-06-22,1



2023-06-21:dashboard

- traefik
 - swr.cn-south-1.myhuaweicloud.com/vp-whdev/all-in-devops/traefik:v1.4.20231227
 - rewritebody
 - rewriteHeaders

2023-12-27

- "INDEX_ROOT=/root/"

```
dir sed -i 's|/traefik- dashboard/| '${INDEX_ROOT}' traefik-  
dashboard/| g'  
/etc/traefik/conf.d/traefik-  
dashboard.yml
```

- : 'PASSWRD=admin:httpwd'

```
htpasswd ,  
http://www.jsons.cn/htpasswd/  
($)($(($
```

2023-06-26

- 数据库

- 部署

- swr.cn-south-1.myhuaweicloud.com/vp-whdev/all-in-devops/traefik-service-discovery:v1.4.20231227

部署2023-12-27

- 数据库
- 部署

```
spring.profiles.active =  
dev|prod|sqlite-dev|sqlite-prod  
dev prod mysql sqlite-dev sqlite-  
prod sqlite sqlite
```

部署2023-06-28

- 数据库
- 部署entrypoint.sh
- mysql

部署2023-06-21

- dashboard dashboard
- 部署

- dashboard

- swr.cn-south-1.myhuaweicloud.com/vp-whdev/all-in-devops/traefik-service-discovery-dashboard-front:stage

部署2023-06-21

- dashboard[traefik-dashboard,traefik]



- []: traefik

```
# [ ]traefik-gateway
# [ ]
# 80[http[ ]
# 443,https[ ]
# 8080, traefik[ ]dashboard[ ]
```

- []traefik-service-discovery

```
# [ ] traefik-service-discovery

# [ ]
# 8080[ ]

# [ ]

spring.profiles.active = prod|sqlite-prod

# prod[mysql[ ]],sqlite-prod[ ]$sqlite[ ]$sqlite[ ], [ ]$sqlite[ ]
# [ ]$sqlite[ ]/data, [ ]

# [mysql[ ]

app.datasource.host =
app.datasource.name=
app.datasource.password =
app.datasource.username =
```

- []

- ~~traefik-service-discovery-dashboard-front~~

```
# 2023-06-21, traefik-service-discovery
# : 80
# /front/
```

-

/	traefik		
/traefik-dashboard/	traefik	traefikdashboard	
/traefikconfig-dashboard/	traefik	traefikdashboard	
/traefik-service-discovery/	traefik	api	



dashboard3

traefik-gateway

```
# k8s

./index-not-root.yaml: /etc/traefik/conf.d/conf2/index-not-root.yaml
```



/minio/	traefik		
/_minio/	traefik		
/_minio/traefik-dashboard/	traefik	traefikdashboard	
/_minio/traefikconfig-dashboard/	traefik	dashboard	

Path	Service	Backend	Weight
/_minio/traefik-service-discovery/	traefik	traefikapi	1

```
http:
  routers:
    # index-not-root
    index-not-root:
      # PathPrefix(_minio/traefik-service-discovery/)
      # PathPrefix(_minio/traefik-config-dashboard/)
      # PathPrefix(_minio/traefik-gateway/)
      # PathPrefix(_minio/traefik-api/)
      # PathPrefix(_minio/traefik-gateway)
      # PathPrefix(_minio/traefik-gateway)
      # PathPrefix(_minio/traefik-gateway)
      # PathPrefix(_minio/traefik-gateway)
      # rule: "PathPrefix(_minio/)"
      # 2023-06-22, PathPrefix(_minio/traefik-gateway)
      rule: "PathPrefix(_minio/traefik-dashboard/) || PathPrefix(_minio/traefikconfig-
dashboard/) || PathPrefix(_minio/traefik-service-discovery/)"
      service: index-not-root
      middlewares:
        - stripPrefix-index-not-root
        - rewritebody-index-not-root
        - rewriteHeaders-index-not-root
    services:
      index-not-root:
        loadBalancer:
          servers:
            - url: http://traefik-gateway:80 # traefik
        middlewares:
          # stripPrefix-index-not-root
          stripPrefix:
            prefixes:
              - "/_minio/"
          # rewritebody-index-not-root
          plugin:
```

```
plugin-rewritebody:                                # [redacted]
  rewrites:
    - regex: "/traefik-service-discovery/api/"
      replacement: "/_minio/traefik-service-discovery/api/"
    - regex: "/traefik-dashboard/api"
      replacement: "/_minio/traefik-dashboard/api"
    - regex: "/_minio/dashboard/"
      replacement: "/_minio/traefik-dashboard/dashboard/"
```

Header [redacted]

rewriteHeaders-index-not-root:

plugin:

plugin-rewriteHeaders: # [redacted]

rewrites:

- header: "Location"
- regex: "/_minio/dashboard/"
- replacement: "/_minio/traefik-dashboard/dashboard/"



middlewares:

[redacted]traefik[redacted]URL [redacted]

stripPrefix-traefikconfig-dashboard:

stripPrefix:

prefixes:

- "/traefikconfig-dashboard/"

[redacted]URL [redacted]traefik[redacted]

addPrefixFront-traefikconfig-dashboard:

addPrefix:

prefix: "/front/"

[redacted]

rewritebody-traefikconfig-dashboard:

plugin:

```
# 配置重写规则
plugin-rewritebody:
  rewrites:
    - regex: "/api/"
      replacement: "/traefik-service-discovery/api/"
```

```
# 配置基本认证
basicAuth- traefikconfig-dashboard:
  basicAuth:
    removeHeader: true
  users:
    - "admin:" # 密码 http://www.jsons.cn/htpasswd/
```

```
# 配置请求头
headers-peisong:
  headers:
    customRequestHeaders:
      host: "peisong.gxzszs.cn"
```

```
# 配置重写头
rewriteHeaders-peisong:
  plugin:
    plugin-rewriteHeaders: # 配置重写规则
      rewrites:
        - header: "Location"
          regex: "peisong.gxzszs.cn"
          replacement: "peisong.gxfusui.com"
        - header: "Location"
          regex: "http://peisong.gxfusui.com/plugin.php"
          replacement: "/plugin.php"
```

配置 #50

配置 21 2023 07:13:45

配置 3 2025 08:20:40