

systemd&&docker系统

k8s

```
FROM centos:7
RUN curl -o /etc/yum.repos.d/CentOS-Base.repo https://mirrors.aliyun.com/repo/Centos-7.repo && \
    sed -i -e '/mirrors.cloud.aliyuncs.com/d' -e '/mirrors.aliyuncs.com/d' \
    /etc/yum.repos.d/CentOS-Base.repo && \
    curl -o /etc/yum.repos.d/epel.repo https://mirrors.aliyun.com/repo/epel-7.repo && \
    yum makecache && \
    yum install -y which wget openvpn telnet && \
    yum clean all && \
    curl -o /usr/bin/systemctl https://raw.githubusercontent.com/gdraheim/docker-systemctl-replacement/master/files/docker/systemctl.py && \
    chmod +x /usr/bin/systemctl && \
    true
```

WORKDIR /root

openvpn-client

```
version: "3"
services:
  busybox:
    image: harbor.iovm.com/public/busybox:latest
    container_name: busybox
    network_mode: host # 主机网络模式
    privileged: true
    restart: always
```

volumes:

- ./ovpn_configuration_file.ovpn: /data/vpclub/openvpn/ovpn_configuration_file.ovpn

command: "/usr/sbin/openvpn --config /data/vpclub/openvpn/ovpn_configuration_file.ovpn"

#4

17 2024 08:44:57

21 2024 09:03:38