

k8s-v1.30.3&&rancher-v2.9.1

2024年9月23日, 1.30.3 rancher

rancher-v2.9.1 k8s-v1.30.3

#

```
curl -LO "https://dl.k8s.io/release/v1.30.3/bin/linux/amd64/kubect"
```

```
curl -LO "https://dl.k8s.io/release/v1.30.3/bin/linux/amd64/kubeadm"
```

```
curl -LO "https://dl.k8s.io/release/v1.30.3/bin/linux/amd64/kubelet"
```

#

```
curl -LO https://qq829.cn/uploads/software/k8s/v1.30.3/kubect"
```

```
curl -LO https://qq829.cn/uploads/software/k8s/v1.30.3/kubeadm"
```

```
curl -LO https://qq829.cn/uploads/software/k8s/v1.30.3/kubelet"
```

docker-compose

```
wget qq829.cn/uploads/software/k8s/docker-compose
```

cri

```
wget qq829.cn/uploads/software/k8s/v1.30.3/cri-dockerd-0.3.4-3.el7.x86_64.rpm
```

```
wget qq829.cn/uploads/software/k8s/v1.30.3/crictl-v1.28.0-linux-amd64.tar.gz
```

#

```
wget qq829.cn/uploads/software/k8s/v1.30.3/10-kubeadm.conf
```

```
wget qq829.cn/uploads/software/k8s/v1.30.3/kubelet.service
```

#

```
wget qq829.cn/uploads/software/k8s/v1.30.3/calico.yaml
```

nginx-ingress

```
wget qq829.cn/uploads/software/k8s/v1.30.3/nginx-ingress.yaml
```

 <https://qq829.cn/book/books/k8s/page/k8s-v1280>

```

00000000 1024 0000 nginx-ingress 0000

```

```
# coredns[1] listen tcp :53: bind: permission denied
```

```
kubectl edit deploy coredns -n kube-system
```

```
allowPrivilegeEscalation: true
```

capabilities:

add:

- NET_BIND_SERVICE

drop:

- ALL

```
readOnlyRootFilesystem: true
```

```
periodSeconds: 10
successThreshold: 1
timeoutSeconds: 1
```

resources:

limits:

```
memory: 170Mi
```

```
requests:
```

```
cpu: 100m
```

```
memory: 70Mi
```

```
securityContext:
```

```
allowPrivilegeEscalation: true
```

capabilities:

add:

- NET_BIND_SERVICE

drop:

- ALL

```
readOnlyRootFilesystem: true
```

```
terminationMessagePath: /dev/termination-log
```

```
terminationMessagePolicy: File
```

volumeMounts:

```
- mountPath: /etc/coredns
```

```
name: config-volume
```

```
# volumes
  tolerations:
    - effect: NoSchedule
      operator: Exists
    - key: CriticalAddonsOnly
      operator: Exists
    - effect: NoExecute
      operator: Exists
```

curl

```
#
curl -o kubectl https://qq829.cn/uploads/software/k8s/v1.30.3/kubectl
#
curl -O https://qq829.cn/uploads/software/k8s/v1.30.3/kubectl
#
curl -LO https://qq829.cn/uploads/software/k8s/v1.30.3/kubectl
```

#13

18 2024 03:31:58

21 2024 18:01:59