




# rancher2.8



- CronJob :
- DaemonSet:
- Deploymen:
- Job:
- StatefulSet:
- Pod:





image not found or type unknown



image not found or type unknown



image not found or type unknown



image not found or type unknown



image not found or type unknown



image not found or type unknown



image not found or type unknown



deploymentPOD

```
workload.user.cattle.io/workloadselector = apps.deployment-devops-bt-monitor-klipper-lb

# workload.user.cattle.io/workloadselector
#  rather 
# apps.deployment-devops-bt-monitor-klipper-lb
# 
# apps.deployment
```

```
# devops ██████
# bt-monitor-klipper-lb ██████
```

```
# devops ██████
# bt-monitor-klipper-lb ██████
```

image not found

image not found

- image not found

image not found



image not found

# hsts

```
chrome: //net-internals/#hsts
```

--	--	--	--	--	--

HSTS/PKP

HSTS is HTTP Strict Transport Security: a way for sites to elect to always use HTTPS. See <https://www.chromium.org/hsts>. PKP is Public Key Pin

Add HSTS domain

Input a domain name to add it to the HSTS set:

Domain:

Include subdomains for STS: ☐

Query HSTS/PKP domain

Input a domain name to query the current HSTS/PKP set:

Domain:

Not found

Delete domain security policies

Input a domain name to delete its dynamic HSTS policy. (You cannot delete preloaded entries.):

Domain: